



june 5-9 2013



pool parties
water adventures
dance parties
drag shows
film fest
street fair
pride parade

For a complete schedule, please visit

keywestpride.org 305-294-4603









Welcome to Paradise!

Key West has always been one of the most accepting communities you will find.

We celebrate that diversity every June with Key West Pride.

This five day event has parties, pageants, parades, and more parties!

For a full list of events, check out: www.KeyWestPride.org

Enjoy!

Contributors:

Neil Chamberlain Zachary Moses Brad Loekle Nana

For advertising information, please see us online at: www.QKeyWest.com Published Monthly by: The Gay Rag, Inc. Key West, FL 33040

info@keywestgayrag.com

305.396.8227

What is STRIBILD?

STRIBILD is a prescription medicine used to treat HIV-1 in adults who have never taken HIV-1 medicines before. It combines 4 medicines into 1 pill to be taken once a day with food. STRIBILD is a complete single-tablet regimen and should not be used with other HIV-1 medicines.

STRIBILD does not cure HIV-1 infection or AIDS. To control HIV-1 infection and decrease HIV-related illnesses you must keep taking STRIBILD. Ask your healthcare provider if you have questions about how to reduce the risk of passing HIV-1 to others. Always practice safer sex and use condoms to lower the chance of sexual contact with body fluids. Never reuse or share needles or other items that have body fluids on them.

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about STRIBILD?

STRIBILD can cause serious side effects:

- Build-up of an acid in your blood (lactic acidosis), which is a serious medical emergency. Symptoms of lactic acidosis include feeling very weak or tired, unusual (not normal) muscle pain, trouble breathing, stomach pain with nausea or vomitting, feeling cold especially in your arms and legs, feeling dizzy or lightheaded, and/or a fast or irregular heartbeat.
- Serious liver problems. The liver may become large (hepatomegaly) and fatty (steatosis). Symptoms of liver problems include your skin or the white part of your eyes turns yellow (jaundice), dark "tea-colored" urine, light-colored bowel movements (stools), loss of appetite for several days or longer, nausea, and/or stomach pain.
- You may be more likely to get lactic acidosis or serious liver problems if you are female, very overweight (obese), or have been taking STRIBILD for a long time. In some cases, these serious conditions have led to death. Call your healthcare provider right away if you have any symptoms of these conditions.

 Worsening of hepatitis B (HBV) infection.
 If you also have HBV and stop taking STRIBILD, your hepatitis may suddenly get worse. Do not stop taking STRIBILD without first talking to your healthcare provider, as they will need to monitor your health. STRIBILD is not approved for the treatment of HBV.

Who should not take STRIBILD?

Do not take STRIBILD if you:

- Take a medicine that contains: alfuzosin, diflydroergotamine, ergotamine, methylergonovine, cisapride, lovastatin, simvastatin, pimozide, sildenafil when used for lung problems (Revatio²³), triazolam, oral midazolam, rifampin or the herb St. John's wort.
- For a list of brand names for these medicines, please see the Brief Summary on the following pages.
- Take any other medicines to treat HIV-1 infection, or the medicine adelovir (Hepsera³¹).

What are the other possible side effects of STRIBILD?

Serious side effects of STRIBILD may also include:

- New or worse kidney problems, including kidney fallure. Your healthcare provider should do regular blood and urine tests to check your kidneys before and during treatment with STRIBILD. If you develop kidney problems, your healthcare provider may tell you to stop taking STRIBILD.
- Bone problems, including bone pain or bones getting soft or thin, which may lead to fractures. Your healthcare provider may do tests to check your bones.
- Changes in body fat can happen in people taking HIV-1 medicines.
- Changes in your immune system. Your immune system may get stronger and begin to light infections. Tell your healthcare provider if you have any new symptoms after you start taking STRIBILD.

The most common side effects of STRIBILD include nausea and diarrhea. Tell your healthcare provider if you have any side effects that bother you or don't go away.

What should I tell my healthcare provider before taking STRIBILO?

- All your health problems. Be sure to tell your healthcare provider if you have or had any lodney, bone, or liver problems, including hepatitis virus infection.
- All the medicines you take, including prescription and nonprescription medicines, vitamins, and herbal supplements. STRIBILD may affect the way other medicines work, and other medicines may affect how STRIBILD works. Keep a list of all your medicines and show it to your healthcare provider and pharmacist. Do not start any new medicines while taking STRIBILD without first talking with your healthcare provider.

 If you take hormone-based birth control (pills, patches, rings, shots, etc).

 If you take antacids, Take antacids at least 2 hours before or after you take STRIBILD.


If you are pregnant or plan to become pregnant. It is not known if STRIBILD can harm your unborn haby. Tell your healthcare provider if you become pregnant while taking STRIBILD.

 If you are breastleeding (nursing) or plan to breastleed. Do not breastleed. HIV-1 can be passed to the beby in breast milk. Also, some medicines in STRIBILD can pass into breast milk, and it is not known if this can harm the beby.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

Please see Brief Summary of full Prescribing Information with Important warnings on the following pages





Patient Information

STRIBILD™ (STRY-bild) (elvitegravir 150 mg/cobicistat 150 mg/ emtricitabine 200 mg/tenofovir disoproxil fumarate 300 mg) tablets

Brief summary of full Prescribing Information. For more information, please see the full Prescribing Information, including Patient Information.

What is STRIBILD?

- STRIBILD is a prescription medicine used to treat HIV-1 in adults who have never taken HIV-1 medicines before. STRIBILD is a complete regimen and should not be used with other HIV-1 medicines.
- STRIBILD does not cure HIV-1 or AIDS.
 You must stay on continuous HIV-1 therapy to control HIV-1 infection and decrease HIV-related illnesses.
- Ask your healthcare provider about how to prevent passing HIV-1 to others. Do not share or reuse needles, injection equipment, or personal items that can have blood or body fluids on them. Do not have sex without protection. Always practice safer sex by using a latex or polyurethane condom to lower the chance of sexual contact with semen, vaginal secretions, or blood.

What is the most important information I should know about STRIBILD?

STRIBILD can cause serious side effects, including:

- Build-up of lactic acid in your blood (lactic acidosis). Lactic acidosis can happen in some people who take STRIBILD or similar (nucleoside analogs) medicines. Lactic acidosis is a serious medical emergency that can lead to death. Lactic acidosis can be hard to identify early, because the symptoms could seem like symptoms of other health problems. Call your healthcare provider right away if you get any of the following symptoms which could be signs of lactic acidosis:
 - feel very weak or tired
 - · have unusual (not normal) muscle pain
 - have trouble breathing
 - · have stomach pain with nausea or vomiting
 - feel cold, especially in your arms and legs

- · feel dizzy or lightheaded
- · have a fast or irregular heartbeat
- 2. Severe liver problems. Severe liver problems can happen in people who take STRIBILD. In some cases, these liver problems can lead to death. Your liver may become large (hepatomegaly) and you may develop fat in your liver (steatosis). Call your healthcare provider right away if you get any of the following symptoms of liver problems:
 - your skin or the white part of your eyes turns yellow (jaundice)
 - · dark "tea-colored" urine
 - light-colored bowel movements (stools)
 - · loss of appetite for several days or longer
 - nausea
 - stomach pain

You may be more likely to get lactic acidosis or severe liver problems if you are female, very overweight (obese), or have been taking STRIBILD for a long time.

- 3. Worsening of Hepatitis B infection. If you have hepatitis B virus (HBV) infection and take STRIBILD, your HBV may get worse (flare-up) if you stop taking STRIBILD. A "flare-up" is when your HBV infection suddenly returns in a worse way than before.
 - Do not run out of STRIBILD. Refill your prescription or talk to your healthcare provider before your STRIBILD is all gone
 - Do not stop taking STRIBILD without first talking to your healthcare provider
 - If you stop taking STRIBILD, your healthcare provider will need to check your health often and do blood tests regularly for several months to check your HBV infection. Tell your healthcare provider about any new or unusual symptoms you may have after you stop taking STRIBILD

Who should not take STRIBILD?

Do not take STRIBILD if you also take a medicine that contains:

- adefovir (Hepsera®)
- alfuzosin hydrochloride (Uroxatral®)
- cisapride (Propulsid®, Propulsid Quicksolv®)
- · ergot-containing medicines, including:

- dihydroergotamine mesylate (D.H.E. 45°, Migranal°), ergotamine tartrate (Cafergot°, Migergot°, Ergostat°, Medihaler Ergotamine°, Wigraine°, Wigrettes°), and methylergonovine maleate (Ergotrate°, Methergine°)
- lovastatin (Advicor®, Altoprev®, Mevacor®)
- oral midazolam
- pimozide (Orap®)
- rifampin (Rifadin®, Rifamate®, Rifater®, Rimactane®)
- sildenafil (Revatio®), when used for treating lung problems
- simvastatin (Simcor®, Vytorin®, Zocor®)
- triazolam (Halcion®)
- the herb St. John's wort

Do not take STRIBILD if you also take any other HIV-1 medicines, including:

- Other medicines that contain tenofovir (Atripla®, Complera®, Viread®, Truvada®)
- Other medicines that contain emtricitabine, lamivudine, or ritonavir (Combivir®, Emtriva®, Epivir® or Epivir-HBV®, Epzicom®, Kaletra®, Norvir®, Trizivir®)

STRIBILD is not for use in people who are less than 18 years old.

What are the possible side effects of STRIBILD?

STRIBILD may cause the following serious side effects:

- See "What is the most important information I should know about STRIBILD?"
- New or worse kidney problems, including kidney failure. Your healthcare provider should do blood and urine tests to check your kidneys before you start and while you are taking STRIBILD. Your healthcare provider may tell you to stop taking STRIBILD if you develop new or worse kidney problems.
- Bone problems can happen in some people who take STRIBILD. Bone problems include bone pain, softening or thinning (which may lead to fractures). Your healthcare provider may need to do tests to check your bones.
- Changes in body fat can happen in people
 who take HIV-1 medicine. These changes may
 include increased amount of fat in the upper
 back and neck ("buffalo hump"), breast, and
 around the middle of your body (trunk). Loss
 of fat from the legs, arms and face may also

- happen. The exact cause and long-term health effects of these conditions are not known.
- Changes in your immune system (Immune Reconstitution Syndrome) can happen when you start taking HIV-1 medicines. Your immune system may get stronger and begin to fight infections that have been hidden in your body for a long time. Tell your healthcare provider right away if you start having any new symptoms after starting your HIV-1 medicine.

The most common side effects of STRIBILD include:

- Nausea
- Diarrhea

Tell your healthcare provider if you have any side effect that bothers you or that does not go away.

- These are not all the possible side effects of STRIBILD. For more information, ask your healthcare provider.
- Call your healthcare provider for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

What should I tell my healthcare provider before taking STRIBILD?

Tell your healthcare provider about all your medical conditions, including:

- If you have or had any kidney, bone, or liver problems, including hepatitis B infection
- If you are pregnant or plan to become pregnant.
 It is not known if STRIBILD can harm your unborn baby. Tell your healthcare provider if you become pregnant while taking STRIBILD.
- There is a pregnancy registry for women who take antiviral medicines during pregnancy.
 The purpose of this registry is to collect information about the health of you and your baby. Talk with your healthcare provider about how you can take part in this registry.
- If you are breastfeeding (nursing) or plan to breastfeed. Do not breastfeed if you take STRIBILD.
 - You should not breastfeed if you have HIV-1 because of the risk of passing HIV-1 to your baby.
 - Two of the medicines in STRIBILD can pass to your baby in your breast milk. It is not known if the other medicines in STRIBILD can pass into your breast milk.

 Talk with your healthcare provider about the best way to feed your baby.

Tell your healthcare provider about all the medicines you take, including prescription and nonprescription medicines, vitamins, and herbal supplements:

- STRIBILD may affect the way other medicines work, and other medicines may affect how STRIBILD works.
- Be sure to tell your healthcare provider if you take any of the following medicines:
 - Hormone-based birth control (pills, patches, rings, shots, etc)
 - Antacid medicines that contains aluminum, magnesium hydroxide, or calcium carbonate.
 Take antacids at least 2 hours before or after you take STRIBILD
 - Medicines to treat depression, organ transplant rejection, or high blood pressure
 - amiodarone (Cordarone®, Pacerone®)
 - atorvastatin (Lipitor®, Caduet®)
 - bepridil hydrochloric (Vascor®, Bepadin®)
 - bosentan (Tracleer®)
 - buspirone
 - carbamazepine (Carbatrol®, Epitol®, Equetro®, Tegreto®)
 - clarithromycin (Biaxin®, Prevpac®)
 - clonazepam (Klonopin®)
 - clorazepate (Gen-xene®, Tranxene®)
 - colchicine (Colcrys®)
 - medicines that contain dexamethasone
 - diazepam (Valium®)
 - digoxin (Lanoxin®)
 - disopyramide (Norpace®)
 - estazolam
 - ethosuximide (Zarontin®)
 - flecainide (Tambocor®)
 - flurazepam
 - fluticasone (Flovent®, Flonase®, Flovent® Diskus, Flovent® HFA, Veramyst®)
 - itraconazole (Sporanox®)
 - ketoconazole (Nizoral®)
 - lidocaine (Xylocaine®)
 - mexiletine
 - oxcarbazepine (Trileptal®)

- perphenazine
- phenobarbital (Luminal®)
- phenytoin (Dilantin®, Phenytek®)
- propafenone (Rythmol®)
- quinidine (Neudexta®)
- rifabutin (Mycobutin®)
- rifapentine (Priftin®)
- risperidone (Risperdal®, Risperdal Consta®)
- salmeterol (Serevent®) or salmeterol when taken in combination with fluticasone (Advair Diskus®, Advair HFA®)
- sildenafil (Viagra®), tadalafil (Cialis®) or vardenafil (Levitra®, Staxyn®), for the treatment of erectile dysfunction (ED). If you get dizzy or faint (low blood pressure), have vision changes or have an erection that last longer than 4 hours, call your healthcare provider or get medical help right away.
- tadalafil (Adcirca®), for the treatment of pulmonary arterial hypertension
- telithromycin (Ketek®)
- thioridazine
- voriconazole (Vfend®)
- warfarin (Coumadin®, Jantoven®)
- zolpidem (Ambien®, Edlular®, Intermezzo®, Zolpimist®)

Know the medicines you take. Keep a list of all your medicines and show it to your healthcare provider and pharmacist when you get a new medicine. Do not start any new medicines while you are taking STRIBILD without first talking with your healthcare provider.

Keep STRIBILD and all medicines out of reach of children.

This Brief Summary summarizes the most important information about STRIBILD. If you would like more information, talk with your healthcare provider. You can also ask your healthcare provider or pharmacist for information about STRIBILD that is written for health professionals, or call 1-800-445-3235 or go to www.STRIBILD.com.

Issued: August 2012



COMPLERA, EMTRINA, OILEAD, the DILEAD Logo, OSI, HEPSERA, STRIBLD, the STRIBLD Logo, TRUMBAD, and WBLAD are trademarks of Gladed Sciences, Inc., or its related companies. ATRIFLA is a trademark of Bristol-Myers Squibb & Oilead Sciences, LLC. All other marks referenced herein are the property of their respective consens.

Photos By Larry Blackburn

WEEKLY EVENTS



MONDAY

904

Drag Shows at 9 PM and 11 PM

Bobby's

Karaoke starting at 9:30 PM

Bourbon

Dancers on the bar starting at 10 PM

TUESDAY

201

Drag Shows at 9 PM and 11 PM

Bourbon

Dancers on the bar starting at 10 PM



801-801 Duval St.



Bobby's- 900 Simonton St.



Bourbon- 724 Duval St.

WEDNESDAY

801

Drag Shows at 9 PM and 11 PM

Bourbon

Dancers on the bar starting at 10 PM

The Little Red Store 25% off from 6 PM - 8 PM

THURSDAY

801

Karaoke starting at 5 PM
Drag Shows at 9 PM and 11 PM

Bobby's

Karaoke starting at 9:30 PM

Bourbon

Dancers on the bar starting at 10 PM

FRIDAY

801

Drag Shows at 5 PM, 9 PM and 11 PM

Bobby's

Karaoke starting at 9:30 PM

Bourbon

Dancers on the bar starting at 10 PM Stripper Battle starting at Midnight

One Saloon

Cock Shock contest starting at Midnight



Island House- 1129 Fleming! St.

SATURDAY

801

Drag Shows at 5PM, 9 PM and 11-PM

Bourbon

Pool Party starting at 12 PM
Dancers on the bar starting at 10 PM
Amateur Strip at Midnight

SUNDAY

801

Karaoke starting at 5 PM Gay Bingo starting at 5 PM Drag Shows at 9 PM and 11 PM

Bobby's

Karaoke starting at 9:30 PM

Bourbon

After Tea Dance starting at 6PM Dancers on the bar starting at 10 PM


Island House

Pre-Tea Pool Party starting at Noon





One Saloon- 514 Petronia St.



FRIDAY JUNE 07

5, 9 & 11PM - DRAG SHOWS BY THE 801 GIRLS

- 801 CABARET





WWW.801BOURBON.COM







FRIDAY JUNE 07

9PM - BRING BACK THE 80'S DANCE PARTY

- 801 MAIN BAR

10PM - FETISH "GET TOGETHER" & COCK SHOCK!!

- 1 SALOON

SATURDAY JUNE 08

5, 9 & 11PM - DRAG SHOWS BY THE 801 GIRLS

- 801 CABARET

9PM - SAVED BY THE 90'S DANCE
PARTY

- 801 MAIN BAR

SUNDAY JUNE 09

4PM - RETRO KARAOKE & PARADE VIEWING

- 801 MAIN BAR

5PM - PRIDE BINGO (NOT YOUR MAMMA'S BINGO)

- 801 CABARET

8PM - LAST CHANCE KARAOKE (TILL THE WEE HOURS)

- 801 MAIN BAR





What is COMPLERA?

COMPLERA® is a prescription HIV medicine that is used as a complete regimen to treat HIV-1 in adults who have never taken HIV medicines before and who have an amount of HIV in their blood (this is called "viral load") that is no more than 100,000 copies/ML. COMPLERA contains 3 medicines—rilpivirine, emtricitabine and tenofovir disoproxil fumarate. It is not known if COMPLERA is safe and effective in children under the age of 18 years.

COMPLERA® does not cure HIV-1 infection or AIDS. To control HIV-1 infection and decrease HIV-related illnesses you must keep taking COMPLERA. Avoid doing things that can spread HIV-1 to others: always practice safer sex and use condoms to lower the chance of sexual contact with body fluids; never reuse or share needles or other items that have body fluids on them, do not share personal items that may contain bodily fluids. Ask your healthcare provider if you have questions about how to reduce the risk of passing HIV-1 to others.

IMPORTANT SAFETY INFORMATION

What is the most important information you should know about COMPLERA?

COMPLERA® can cause serious side effects:

- Build-up of an acid in your blood (lactic acidosis), which is a serious medical emergency. Symptoms of lactic acidosis include feeling very weak or tired, unusual (not normal) muscle pain, trouble breathing, stomach pain with nausea or vomiting, feeling cold, especially in your arms and legs, feeling dizzy or lightheaded, and/or a fast or irregular heartbeat.
- Serious liver problems. The liver may become large (hepatomegaly) and fatty (steatosis). Symptoms of liver problems include your skin or the white part of your eyes turns yellow (jaundice), dark "tea-colored" urine, lightcolored bowel movements (stools), loss of appetite for several days or longer, nausea, and/or stomach pain.
- You may be more likely to get lactic acidosis or serious liver problems if you are female, very overweight (obese), or have been taking COMPLERA for a long time. In some cases, these serious conditions have led to death. Call your healthcare provider right away if you have any symptoms of these conditions.

Patient model. Pill shown is not actual size.

 Worsening of hepatitis B (HBV) infection. If you also have HBV and stop taking COMPLERA, your hepatitis may suddenly get worse. Do not stop taking COMPLERA without first talking to your healthcare provider, as they will need to monitor your health. COMPLERA is not approved for the treatment of HBV.

Who should not take COMPLERA?

Do not take COMPLERA if you have ever taken other anti-HIV medicines. COMPLERA may change the effect of other medicines and may cause serious side effects. Your healthcare provider may change your other medicines or change their doses. Do not take COMPLERA if you also take these medicines:

- anti-seizure medicines: carbamazepine (Carbatrol, Equetro, Tegretol, Tegretol-XR, Teril, Epitol); oxcarbazepine (Trileptal), phenobarbital (Luminal), phenytoin (Dilantin, Dilantin-125, Phenytek)
- anti-tuberculosis medicines: rifabutin (Mycobutin), rifampin (Rifater, Rifamate, Rimactane, Rifadin) and rifapentine (Priftin)
- proton pump inhibitors for stomach or intestinal problems: esomeprazole (Nexium, Vimovo), lansoprazole (Prevacid), dexlansoprazole (Dexilant), omeprazole (Prilosec), pantoprazole sodium (Protonix), rabeprazole (Aciphex)
- more than 1 dose of the steroid medicine dexamethasone or dexamethasone sodium phosphate
- · St. John's wort (Hypericum perforatum)

If you are taking COMPLERA you should not take other HIV medicines or other medicines containing tenofovir (Viread, Truvada, Stribild or Atripla); other medicines containing emtricitabine or lamivudine (Emtriva, Combivir, Epivir, Epivir-HBV, Epzicom, Trizivir, Atripla, Stribild or Truvada); rilpivirine (Edurant) or adefovir (Hepsera).

In addition, tell your healthcare provider if you are taking the following medications because they may interfere with how COMPLERA works and may cause side effects:

- certain antacid medicines containing aluminum, magnesium hydroxide, or calcium carbonate (examples: Rolaids, TUMS).
 These medicines must be taken at least 2 hours before or 4 hours after COMPLERA.
- medicines to block stomach acid including cimetidine (Tagamet), famotidine (Pepcid), nizatidine (Axid), or ranitidine HCL (Zantac). These medicines must be taken at least 12 hours before or 4 hours after COMPLERA.

COMPLERA. A complete HIV treatment in only 1 pill a day.

COMPLERA is for adults who have never taken HIV-1 medicines before and have no more than 100,000 copies/mL of virus in their blood.

Ask your healthcare provider if it's the one for you.

- any of these medicines; clarithromycin (Biaxin); erythromycin (E-Mycin, Eryc, Ery-Tab, PCE, Pediazole, Ilosone), fluconazole (Diflucan), itraconazole (Sporanox), ketoconazole (Nizoral) methadone (Dolophine); posaconazole (Noxifil), telithromycin (Ketek) or voriconazole (Vfend).
- medicines that are eliminated by the kidneys like acyclovir (Zovirax), cidofovir (Vistide), ganciclovir (Cytovene IV, Vitrasert), valacyclovir (Valtrex) and valganciclovir (Valcyte).

These are not all the medicines that may cause problems if you take COMPLERA. Tell your healthcare provider about all prescription and nonprescription medicines, vitamins, or herbal supplements you are taking or plan to take.

Before taking COMPLERA, tell your healthcare provider if you:

- Have liver problems, including hepatitis B or C virus infection, or have abnormal liver tests
- Have kidney problems
- · Have ever had a mental health problem
- Have bone problems
- Are pregnant or planning to become pregnant. It is not known if COMPLERA can harm your unborn child
- Are breastfeeding: Women with HIV should not breastfeed because they can pass HIV through their milk to the baby.
 Also, COMPLERA may pass through breast milk and could cause harm to the baby

COMPLERA can cause additional serious side effects:

- New or worsening kidney problems, including kidney failure. If you have had kidney problems, or take other medicines that may cause kidney problems, your healthcare provider may need to do regular blood tests.
- Depression or mood changes. Tell your healthcare provider right away if you have any of the following symptoms: feeling sad or hopeless, feeling anxious or restless, have thoughts of hurting yourself (suicide) or have tried to hurt yourself.
- Changes in liver enzymes: People who have had hepatitis B or C, or who have had changes in their liver function tests in the past may have an increased risk for liver problems while taking COMPLERA. Some people without prior liver disease may also be at risk. Your healthcare provider may need to check your liver enzymes before and during treatment with COMPLERA.

- Bone problems can happen in some people who take COMPLERA. Bone problems include bone pain, softening or thinning (which may lead to fractures). Your healthcare provider may need to do additional tests to check your bones.
- . Changes in body fat can happen in people taking HIV medicine.
- Changes in your immune system. Your immune system may get stronger and begin to fight infections that have been hidden in your body for a long time. Tell your healthcare provider if you start having new symptoms after starting COMPLERA.

The most common side effects reported with COMPLERA are trouble sleeping (insomnia), abnormal dreams, headache, dizziness, diarrhea, nausea, rash, tiredness, and depression. Some side effects also reported include vomiting, stomach pain or discomfort, skin discoloration (small spots or freckles) and pain.

This is not a complete list of side effects. Tell your healthcare provider or pharmacist if you notice any side effects while taking COMPLERA, and call your healthcare provider for medical advice about side effects.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit http://www.fda.gov/ medwatch or call 1-800-FDA-1088.

Additional Information about taking COMPLERA:

- Always take COMPLERA exactly as your healthcare provider tells you to take it.
- Take COMPLERA with a meal. Taking COMPLERA with a meal is important to help get the right amount of medicine in your body. (A protein drink does not replace a meal).

Stay under the care of your healthcare provider during treatment with COMPLERA and see your healthcare provider regularly.

Please see Brief Summary of full Prescribing Information with important warnings on the following pages.



Learn more at www.COMPLERA.com

Brief Summary of full Prescribing Information COMPLERA® (kom-PLEH-rah)

(emtricitabine, rilpivirine, tenofovir disoproxil fumarate) tablets

Brief summary of full Prescribing Information. For more information, please see the full Prescribing Information including Patient Information.

What is COMPLERA?

- COMPLERA is a prescription HIV (Human Immunodeficiency Virus) medicine that is used to treat HIV-1 in adults
 - who have never taken HIV medicines before, and
 - who have an amount of HIV in their blood (this is called 'viral load') that is no more than 100,000 copies/mL. Your healthcare provider will measure your viral load.

(HIV is the virus that causes AIDS (Acquired Immunodeficiency Syndrome)).

- COMPLERA contains 3 medicines rilpivirine, emtricitabine, tenofovir disoproxil fumarate – combined in one tablet. It is a complete regimen to treat HIV-1 infection and should not be used with other HIV medicines.
- It is not known if COMPLERA is safe and effective in children under the age of 18 years old.
- COMPLERA does not cure HIV infection or AIDS.
 You must stay on continuous therapy to control HIV infection and decrease HIV-related illnesses.
- Ask your healthcare provider if you have any
 questions about how to prevent passing HIV to other
 people. Do not share or re-use needles or other injection
 equipment, and do not share personal items that can
 have blood or body fluids on them, like toothbrushes and
 razor blades. Always practice safer sex by using a latex
 or polyurethane condom to lower the chance of sexual
 contact with semen, vaginal fluids or blood.

What is the most important information I should know about COMPLERA?

COMPLERA can cause serious side effects, including:

- Build-up of lactic acid in your blood (lactic acidosis).
 Lactic acidosis can happen in some people who take
 COMPLERA or similar (nucleoside analogs) medicines.
 Lactic acidosis is a serious medical emergency that can lead to death.
 Lactic acidosis can be hard to identify early, because the symptoms could seem like symptoms of other health problems.
 Call your healthcare provider right away if you get any of the following symptoms which could be signs of lactic acidosis:
 - feel very weak or tired
 - have unusual (not normal) muscle pain
 - have trouble breathing

- have stomach pain with nausea (feeling sick to your stomach) or vomiting
- feel cold, especially in your arms and legs
- feel dizzy or lightheaded
- have a fast or irregular heartbeat
- Severe liver problems. Severe liver problems can happen in people who take COMPLERA. In some cases, these liver problems can lead to death. Your liver may become large (hepatomegaly) and you may develop fat in your liver (steatosis). Call your healthcare provider right away if you get any of the following symptoms of liver problems:
 - your skin or the white part of your eyes turns yellow (jaundice)
 - dark "tea-colored" urine
- light-colored bowel movements (stools)
- loss of appetite for several days or longer
- nausea
- stomach pain
- You may be more likely to get lactic acidosis or severe liver problems if you are female, very overweight (obese), or have been taking COMPLERA for a long time.
- Worsening of Hepatitis B infection. If you have hepatitis B virus (HBV) infection and take COMPLERA, your HBV may get worse (flare-up) if you stop taking COMPLERA. A "flare-up" is when your HBV infection suddenly returns in a worse way than before. COMPLERA is not approved for the treatment of HBV, so you must discuss your HBV with your healthcare provider.
 - Do not let your COMPLERA run out. Refill your prescription or talk to your healthcare provider before your COMPLERA is all gone.
- Do not stop taking COMPLERA without first talking to your healthcare provider.
- If you stop taking COMPLERA, your healthcare provider will need to check your health often and do blood tests regularly to check your HBV infection.
 Tell your healthcare provider about any new or unusual symptoms you may have after you stop taking COMPLERA.

Who should not take COMPLERA?

Do not take COMPLERA if:

- your HIV infection has been previously treated with HIV medicines.
- you are taking any of the following medicines:
 - anti-seizure medicines: carbamazepine (Carbatrol, Equetro, Tegretol, Tegretol-XR, Teril, Epitol); oxcarbazepine (Trileptal); phenobarbital (Luminal); phenytoin (Dilantin, Dilantin-125, Phenytek)

- anti-tuberculosis (anti-TB) medicines: rifabutin (Mycobutin); rifampin (Rifater, Rifamate, Rimactane, Rifadin); rifapentine (Priftin)
- proton pump inhibitor (PPI) medicine for certain stomach or intestinal problems: esomeprazole (Nexium, Vimovo); lansoprazole (Prevacid); dexlansoprazole (Dexilant); omeprazole (Prilosec, Zegerid); pantoprazole sodium (Protonix); rabeprazole (Aciphex)
- more than 1 dose of the steroid medicine dexamethasone or dexamethasone sodium phosphate
- St. John's wort (Hypericum perforatum)

· If you take COMPLERA, you should not take:

- Other medicines that contain tenofovir (Atripla, Stribild, Truvada, Viread)
- Other medicines that contain emtricitabine or lamivudine (Combivir, Emtriva, Epivir or Epivir-HBV, Epzicom, Trizivir, Atripla, Truvada, Stribild)
- rilpivirine (Edurant)
- adefovir (Hepsera)

What should I tell my healthcare provider before taking COMPLERA?

Before you take COMPLERA, tell your healthcare provider if you:

- have or had liver problems, including hepatitis B or C virus infection, kidney problems, mental health problem or bone problems
- are pregnant or plan to become pregnant. It is not known if COMPLERA can harm your unborn child.
 - Pregnancy Registry. There is a pregnancy registry for women who take antiviral medicines during pregnancy. The purpose of this registry is to collect information about the health of you and your baby. Talk to your healthcare provider about how you can take part in this registry.
- are breast-feeding or plan to breast-feed. You should not breastfeed if you have HIV because of the risk of passing HIV to your baby. Do not breastfeed if you are taking COMPLERA. At least two of the medicines contained in COMPLERA can be passed to your baby in your breast milk. We do not know whether this could harm your baby. Talk to your healthcare provider about the best way to feed your baby.

Tell your healthcare provider about all the medicines you take, including prescription and nonprescription medicines, vitamins, and herbal supplements.

 COMPLERA may affect the way other medicines work, and other medicines may affect how COMPLERA works, and may cause serious side effects. If you take certain medicines with COMPLERA, the amount of COMPLERA in your body may be too low and it may not work to help control your HIV infection. The HIV virus in your body may become resistant to COMPLERA or other HIV medicines that are like it.

Especially tell your healthcare provider if you take:

- an antacid medicine that contains aluminum, magnesium hydroxide, or calcium carbonate. If you take an antacid during treatment with COMPLERA, take the antacid at least 2 hours before or at least 4 hours after you take COMPLERA.
- a medicine to block the acid in your stomach, including cimetidine (Tagamet), famotidine (Pepcid), nizatidine (Axid), or ranitidine hydrochloride (Zantac). If you take one of these medicines during treatment with COMPLERA, take the acid blocker at least 12 hours before or at least 4 hours after you take COMPLERA.
- · any of these medicines (if taken by mouth or injection):
 - clarithromycin (Biaxin)
- erythromycin (E-Mycin, Eryc, Ery-Tab, PCE, Pediazole, Ilosone)
- fluconazole (Diflucan)
- itraconazole (Sporanox)
- ketoconazole (Nizoral)
- methadone (Dolophine)
- posaconazole (Noxafil)
- telithromycin (Ketek)
- voriconazole (Vfend)
- medicines that are eliminated by the kidney, including acyclovir (Zovirax), cidofovir (Vistide), ganciclovir (Cytovene IV, Vitrasert), valacyclovir (Valtrex), and valganciclovir (Valcyte)

What are the possible side effects of COMPLERA?

COMPLERA can cause serious side effects, including:

- See "What is the most important information I should know about COMPLERA?"
- New or worse kidney problems, including kidney failure, can happen in some people who take COMPLERA. Your healthcare provider should do blood tests to check your kidneys before starting treatment with COMPLERA. If you have had kidney problems in the past or need to take another medicine that can cause kidney problems, your healthcare provider may need to do blood tests to check your kidneys during your treatment with COMPLERA.
- Depression or mood changes. Tell your healthcare provider right away if you have any of the following symptoms:
 - feeling sad or hopeless
 - feeling anxious or restless
 - have thoughts of hurting yourself (suicide) or have tried to hurt yourself

- Change in liver enzymes. People with a history of hepatitis B or C virus infection or who have certain liver enzyme changes may have an increased risk of developing new or worsening liver problems during treatment with COMPLERA. Liver problems can also happen during treatment with COMPLERA in people without a history of liver disease. Your healthcare provider may need to do tests to check your liver enzymes before and during treatment with COMPLERA.
- Bone problems can happen in some people who take COMPLERA. Bone problems include bone pain, softening or thinning (which may lead to fractures).
 Your healthcare provider may need to do additional tests to check your bones.
- Changes in body fat can happen in people taking HIV
 medicine. These changes may include increased amount
 of fat in the upper back and neck ("buffalo hump"),
 breast, and around the main part of your body (trunk).
 Loss of fat from the legs, arms and face may also
 happen. The cause and long term health effect of these
 conditions are not known.
- Changes in your immune system (Immune Reconstitution Syndrome) can happen when you start taking HIV medicines. Your immune system may get stronger and begin to fight infections that have been hidden in your body for a long time. Tell your healthcare provider if you start having new symptoms after starting your HIV medicine.

The most common side effects of COMPLERA include:

- trouble sleeping (insomnia)
- · abnormal dreams
- headache
- dizziness
- diarrhea
- nausea
- rash
- tiredness
- depression

Additional common side effects include:

- vomiting
- · stomach pain or discomfort
- skin discoloration (small spots or freckles)
- pain

Tell your healthcare provider if you have any side effect that bothers you or that does not go away.

These are not all the possible side effects of COMPLERA. For more information, ask your healthcare provider or pharmacist.

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088 (1-800-332-1088).

How should I take COMPLERA?

- Stay under the care of your healthcare provider during treatment with COMPLERA.
- Take COMPLERA exactly as your healthcare provider tells you to take it.
- Always take COMPLERA with a meal. Taking COMPLERA with a meal is important to help get the right amount of medicine in your body. A protein drink does not replace a meal.
- Do not change your dose or stop taking COMPLERA without first talking with your healthcare provider.
 See your healthcare provider regularly while taking COMPLERA.
- If you miss a dose of COMPLERA within 12 hours of the time you usually take it, take your dose of COMPLERA with a meal as soon as possible. Then, take your next dose of COMPLERA at the regularly scheduled time. If you miss a dose of COMPLERA by more than 12 hours of the time you usually take it, wait and then take the next dose of COMPLERA at the regularly scheduled time.
- Do not take more than your prescribed dose to make up for a missed dose.

This Brief Summary summarizes the most important information about COMPLERA. If you would like more information, talk with your healthcare provider. You can also ask your healthcare provider or pharmacist for information about COMPLERA that is written for health professionals, or call 1-800-445-3235 or go to www.COMPLERA.com

Issued: January 2013



COMPLERA, the COMPLERA Logo, EMTRIVA, GILEAD, the GILEAD Logo, GSI, HEPSERA, STRIBILD, TRUVADA, VIREAD, and VISTIDE are trademarks of Gilead Sciences, Inc., or its related companies. ATRIPLA is a trademark of Bristol-Myers Squibb & Gilead Sciences, LLC. All other marks referenced herein are the property of their respective owners.

©2013 Gilead Sciences, Inc. All rights reserved. CPAC0027 04/13

ONE NIGHT IN

by: Brad Lockle



I'll be the first to admit, I had my doubts about spending 12 days cruising through Singapore, Thailand, Vietnam & China. Normally I'm more of a "let's go sit on the beach of a Mediterranean coastal village and drink prosecco" kind of queen. Schlepping through the crowds (and smells) of Bangkok to see an "Emerald Buddha" isn't my idea of a brunch activity. But I have to say I quickly fell in love with Asia. Well, most of Asia. But most surprising of all is that I really fell in love with Bangkok. It is a bustling, crazy city of over 13 million people and yet it won my heart... and a few other vital organs. Most people know that Bangkok is known for its sex trade and I have to say it lives up to this image. You can find literally every kind of sexual fetish played out right in front of your eyes, and in some cases your dinner table, within 10 city blocks. And not only do they sell sex, they build it into a show! At Tawan (the all male sex show) my friends and I saw... well... we saw some stuff. We saw a man cover his entire penis in candle wax before shoving it into another man's ass. Sort of like some sort of Amish safe sex act. Another man put his dick inside another guy and then started doing cartwheels, in place, with his dick STILL IN the guy's ass! We saw two men on a flying trapeze who were connected by more than just brotherly love and I even had one of the dancers single me out and shove his giant dick half way down my throat. I don't know how he knew I'd be able to swallow it like a pelican takes a mackerel... but he did, and I did, and the crowd went wild! Oh, and yes, we were in Bangkok and yes I did say "giant dick". It is apparently well known in Asia, but not in the USA, that Thai men have (in general) large dicks. And these boys lived up to this, and then some. Granted, we had also chosen Tawan because it was known to have... as that marketing stated... "big hunky man men big dick no lady". And they didn't lie. In fact, I was pleased to realize that hunky, muscular, well hung Thai men basically look like hot Mexicans. And Lord knows. that works for me!

After the Tawan tango, we decided we would go see one of the girls shows. We've all heard tell of Bangkok shows where women shoot ping pong balls out of their Baby Gaps and we figured we'd

only be here once, so why not see if it's true? A local guide of ours had told us that if we were going to see any of the girlie shows, that it was really worth it to go to the oldest, best known club in town: SuperPussy. Once we heard the title, we were hooked! Well, disgusted and terrified, but hooked none the less. Off we went, like Dorothy and the boys down the "Yerrow Blick Road" to SuperPussy. Little did we know that what we would see there could never be unseen.

We arrived just as the next "show" was beginning. Far less production was put into this show than the boy show. This one seemed to just be about each girl stepping forward and having her vagina do a magic trick or show some sort of "skill". Right away we were dodging ping pong balls in what I would say was the most horrific game of dodge ball I've been in, since the 6th grade. Then a girl put a marker in her vagina and spelled out "Welcome to Bangkok" on a piece of paper. Judging by the penmanship, I'd say her pussy was slightly inebriated... and left handed. Another pussy shot darts out of a blow dart gun and popped balloons around the room. Another pussy blew out all the birthday candles on a cake?! I thought, for a moment, what luck we had to be there on that particular pussy's birthday...

But the moment that changed all of our lives was the finale. During which a woman lay on her back and had her Bush Gardens drink a Coca Cola bottle full of water. (I can only imagine how parched her pussy was after a long day's work). Then she stood up, not spilling a drop, inserted the empty coke bottle back inside herself and re-filled the bottle WITH COCA COLA?!?!?! That's right... her vagina turned water into Coke. It was like a pussy miracle.

She then handed me the bottle and asked me.... To... DRINK IT. Fear not, faithful readers, I explained to her that I was more of a Mountain Dew sort of guy, placed the bottle down politely, calmly left the establishment, and then cut off the hand that had touched the bottle in question.

Brad Loekle is a comedian currently living in LA. He can be seen Thursday nights on TruTV's "World's Dumbest" at 9PM & tours extensively on Atlantis Events & RSVP gay cruises.

For more on Brad, go to: www.bradhag.com









PURGATORY

SATURDAY, JUNE 8TH 10PM FETISH PARTY

"WHERE THE BAD BOYS & BAD GIRLS COME TO PLAY"

FETISH ATTIRE ENCOURAGED

MUSIC & VIDEOS BY

VJ/DJ GARY NOLAN


SINFUL SEDUCTIONS BY

THE MEN OF BOURBON









CLOTHING OPTIONAL | MULTIPLE SUNDECKS PLAY AREAS | FREE SHOTS | HAPPY HOUR PRICES POOL VOLLEYBALL | GAMES & PRIZES




MUSIC BY DJ NEIL





www.BourbonStPub.com

www.NewOrleansHouseKW.com



O MAGAZINE welcomes you to America's most inclusive island!

Key West's official philosophy is "ONE HÚMAN FAMILY" which means we believe everyone is entitled to equal rights, dignity and respect. You'll see a lot of these stickers, and you can get your own free "One Human Family" stickers at the Gay & Lesbian Visitor Center (513 Truman), the County Library (Fleming @ Elizabeth), or by sending a SASE to ONE HUMAN FAMILY, P.O. 972, Key West, FL 33041 or visit OneHumanFamily.info

ONE HUMAN FAMIL

- Centennial Bank, 701 Whitehead & 1229 Simonton
- Bourbon Street Pub 724 Duval
- 801 Bourbon Bar 801 Duval
- Bobby's Monkey Bar 900 Simonton
 - The Little Red Store 901 Caroline Street
- Equator Resort 818 Fleming
- Gay Trolley Starting Point Angela & Duval
- Big Ruby's Guesthouse 409 Appelrouth Lane
- Island House Resort for Men 1129 Fleming
- Alexander's Guest House 1118 Fleming Street KW Gay & Lesbian Visitor Center - 513 Truman
- Monroe County Public Library Fleming & Margaret
- Truman Book & Video 922 Truman
- Graffitti for Men 721 Duval
- Amigos 425 Green
- In Touch 706A Duval
- Doug Mayberry Real Estate 1075 Duval

Zachary Moses:

MAN ABOUT TOWN

I work every weekday, and I'm a host at the Island House's naked pool party on Sunday afternoons. My only day for myself is Saturday. I endeavor



to make Saturdays flow organically. NO PLANS! Last weekend was typical:

I needed some retail therapy. I dropped into Oh La La! – a bright little shop at the corner of Whitehead and Southard. Apparently they can transfer my photos onto Italian Marble tiles (now I'm considering having my bathroom tiled in nudie muscle pics). I purchased a black bike bell with a pink-bedazzled skull on it...I couldn't resist! I borrowed a screwdriver and put the bell on my bike right there. The shop owner is French, and the whole time she was talking to me, all I could think about was getting a nice hot croissant.

So, next stop: Frenchie's Café, a new bistro/bakery at 529 United between Simonton and Duval. The shop has cute little tables, lots of light, and a covered porch where you can sit and offer directions to the hot, shirtless tourists who can't find the Southernmost Point buoy.

The crew at Frenchie's had just finished with the lunchtime rush

when I arrived. The girl behind the counter had made too much smoothie, so she gave me some sample shots. "I want more of that" was all I could say after taste testing. I sat down at the bar and watched while she mixed up my smoothie.





Frenchie's has an orange juice machine just like the cafés in Paris, with a big pile of oranges inside a cage that get split, squeezed, juiced, and devoured in the time it takeswait...are we talking about juice or Jeff Stryker porn?


A rush of customers came in and the owner had to come out and help the girls prepare food. It was amazing how fast they filled every order; the crew cracked

jokes and worked well together in their small, efficient kitchen. After my smoothie, I ordered a breakfast sandwich. They spread this strange-looking homemade cheese mixture all over the bread, then popped it in the toaster oven. It came out bubbly and decadent. Yum!

It was fun sitting at the counter chatting with the staff, and when I got up to leave, they insisted I stay and have dessert. I enjoyed an apricot tart with milk. Actually, they were out of whole milk, so they just poured a bunch of cream into a glass of skim milk for me. It was so good, and wrong on so many levels. Next came the beers. I drank beer and giggled all afternoon, and when they closed the shop, they invited me out back for a smoke.

We moved the party next door to the bar at Pearl's guesthouse. I've never been in here because when I moved to Key West, Pearls was a women's only joint. They recently went all welcome, but you wouldn't have known by the clientele. Pearl's is the place for tan and topless lesbians...WOW!

Read more about Zachary's gay travel adventures at www.HeTravel.com



PUMPI

SPRING/SUMMER 2013





721 Duval St. 305-295-0003



MEXICAN FOOD

breakfast * lunch * dinner

305.292.2009



DELIVERY TO ALL OF KEY WEST! 8 am - 11 pm



Buy a T-SHIRT, and we'll deliver it, too!

Scan this code and "Like" us on Facebook to receive a special offer!

425 Greene Street, Key West, FL 33040 • www.amigoskeywest.com



302 Southard St. - Suite 102

I am NOT just another pretty face.

32 years of Sales & Property Management

Charles E. Lee

305-294-6259

charlesleecbs@aol.com

REALTOR

Mabry Binnicker

(305) 304-5624





Preferred Properties

Coastal Realty, Inc.

KwMabry@msn.com

Ask Nana

E-mail your questions to nana@keywestgayrag.com

Dear Nana.

I recently bought a brand new BMW recently and she is my baby. My boyfriend wants to drive it more than I'm comfortable with. He's not a bad driver, but he's not the best driver either. I'm worried that saying no too many times is going to lead to us fighting. But I also worry that if anything happens to my baby while he's driving her, then we will definitely be headed towards a fight! Do you have any advice on how to bridge this gap?

Okay, baby boy, let's start with a few little things. First of all, it's not your child, it's a car. I know you love it and I know it costs as much as a kid but it's still not a living breathing thing. It's not like you fucked the tail pipe of a BMW coupe and BAM, 9 months later you had a sedan. I know boys love their toys, be they cars or butt plugs, but it's just that: a toy. A toy that probably cost as much as a house, but a toy none the less. And if the toy means more to you than your relationship then that should tell you something about your relationship. You can't assume he'll be irresponsible with your car.



unless you're trying to tell me (and yourself) that you think he's just automatically irresponsible with everything. Now, you might want to also remind him that it's not his and until he wants to settle down and marry you, your shit is not communal property. But be careful, because he could always call your bluff on that one. And I don't know that anyone wants to get married just to protect their beamer!

Dear Nana,

My boyfriend is really into nipple play. Which is great and fun and fine for him. I'm happy to do it because I like seeing him satisfied in the bedroom. But I really don't care for it myself and he always goes right for my nipples. Is there a better way to tell him my nipples need to be left alone and he should focus elsewhere?


Yeah. and it's groundbreaking method Ready? communication.... You just fucking tell him you're not into it!! Jesus Christ on the cross, what is it about being a relationship that makes us suddenly unable to mention the fact we prefer tea over coffee or don't want our titties twisted?! I would hope that vour boyfriend isn't as sensitive as his nipples and understand that just because you don't get off the exact



same way he does, it doesn't mean you don't like him. And I'm on your side, by the way... why some men want their nips gnawed on until they look like No.2 pencil erasers is beyond me. Put it to him like this... I assume one of you is more of the bottom and one more the top... so, see, if you both were tops or vice versa you couldn't even be together. Tell him the nips are the same way and then tell him a few things he does to you that DO make you go cuckoo for coco-cock. And if that doesn't work, tell him to pick his vagina up off the floor and get over it.

Do you have problems? Of course you do!!
Why not let Nana help you?! Send your questions to:
Nana@keywestgayrag.com.

TRUMAN ADULT: PRIDEFEST HO



922 Truman Avenue Key West, FL 33040 (305) 295-0120 trumanadult.com



BECOME A FAN OF Q MAGAZINE ON

facebook.



Keep up to date on what's happening in Gay Key West. Post your own pictures and stories. Get late beaking news and gossip!



DOUG MAYBERRY
REAL ESTATE

SALES • RENTALS
RESIDENTIAL • COMMERCIAL

We're Your Community Realtors* In Paradise!

Doug Mayberry
Sabrina Acevedo • Dean Townsend
Keith Bland • Kent Ducote • Mary Thixton
Bobby Clulla • Ginger King • Terry Huff
Kimball Ingram • Ian Whitney • Michael Philip

(305) 292-6155 • DougMayberry.com 1075 Duval. Duval Square *C23 at Simonton & Angela Streets

Key West Pride

Schedule of Events

Wednesday - June 5

12:00 PM - Pride Luncheon with Fag Bug - Reach Resort - 1435 Simonton Street

5:00 PM - The Island House Celebrates Pride (All Welcome) - 1129 Fleming Street

6:00 PM - AIDS Help Film Festival: I Am Divine - Tropic Cinema - 416 Eaton Street

8:00 PM - Miss Key West Pride Pageant - 801 Cabaret - 801 Duval Street

11:00 PM - 801 Girls Show Their Pride - 801 Cabaret - 801 Duval Street

Thursday - June 6

Noon - Island House Men At Work and Play Party- Island House - 1129 Fleming Street

2:00 PM - "For the Girls", Mojito's, Cornhole & More - Lighthouse Court - 902 Whitehead

4:00 PM - Barefoot Wine Pride Beach Clean-Up - Smather's Beach - South Roosevelt

5:30 PM - Bourbon's Happy Hour - Bourbon Street Pub - 724 Duval Street

6:00 PM - AIDS Help Film Festival: Deepsouth - Tropic Cinema - 416 Eaton Street

8:00 PM - Ms. Key West Pride - Aqua Nightclub - 711 Duval Street

8:00 PM - The Kinsey Sicks - Waterfront Playhouse - 310 Wall Street

9:00 PM - 801's 70's Disco Throwback Dance Party - 801 Bourbon Bar - 801 Duval Street

10:00 PM - Sunset Watersports Moonlight Tea Dance (Men Only) - 201 William Street

Friday - June 7

10:00 AM - Fury's Key West Pride Ultimate Adventure - 631 Green Street

12:00 PM - Equator Pool .Party & BBQ - Equator Resort - 818 Fleming Street

3:00 PM - "For the Girls", Mojito's, Cornhole, & More - Lighthouse Court - 902 Whitehead

6:00 PM - Big Ruby's Poolside Happy Hour - Big Ruby's - 409 Applerouth Lane

7:00 PM - Mr. Key West Pride - Bourbon Street Pub - 724 Duval Street

8:00 PM - Boogie Night Dance Party at Pearl's - Pearl's Key West - 525 United Street

9:00 PM - Bring Back The 80's Dance Party - 801 Bourbon Bar - 801 Duval Street

10:00 PM - Fetish "Get Together" & Cock Shock (Men Only) - Saloon One - 801 Duval

12:30 AM - Aqua's Fruits of the Rainbow Dance Party - Aqua Nightclub - 711 Duval Street

For more information, see www.keywestpride.org

Key West Pride

Schedule of Events

Saturday - June 8

9:00 AM - 'SHOW YOUR PRIDE' Bike Ride - White Street Pier - 1801 White Street

10:00 AM - Key West Pride Street Fair - 700 & 800 Blocks of Duval Street

12:00 PM - Pride Pool Party (All Welcome) - Bourbon Street Pool - 724 Duval Street

4:00 PM - Gay Key West Trolley Tour - HTA Angela Street Depot - 700 Duval Street

5:00 PM - 801 Girls - Drag Show (5pm,9pm, & 11pm)- 801 Bourbon Bar - 801 Duval St.

5:00 PM - Alexander's 'Traffic Light' Poolside Happy Hour - 1118 Fleming Street

8:00 PM - The Kinsey Sicks - Waterfront Playhouse - 310 Wall Street

9:00 PM - "Saved by the 90's!" - 801 Bourbon Bar - 801 Duval Street

10:00 PM - Purgatory & Foam Party - Bourbon Street Pub - 724 Duval Street

Sunday - June 9

10:00 AM - Pride Church Service - MCC Church - 1215 Petronia Street

11:00 AM - Pride Church Service - Unity of the Keys - 1011 Virginia Street

Noon - Hot Naked Sundays - Island House - 1129 Fleming Street

Noon - Pearl's 2nd Sunday Pre-Tea Pool Party - Pearl's Key West - 525 United Street

1:00 PM 3:00 PM "Key West, City of Colors" - Unity of the Keys - 1011 Virginia Street

4:00 PM - Retro Pride Karaoke & Parade Watch - 801 Bourbon Bar - 801 Duval Street

4:00 PM - Balcony Blast and Parade Watch - Bourbon Street Pub - 724 Duval Street

5:00 PM - Key West Pride Parade 2012 - Duval Street 100 - 1200 Duval Street

8:01 PM - 801's Last Chance Karaoke - 801 Bourbon Bar - 801 Duval Street



For more information, see www.keywestpride.org





Colorful Friends Tit's nice to have them!





706-A Duval Street

25% OFF WITH THIS AD in June 2013

*artwork and sale items not included







Q Slang

Read - To tell you the truth about yourself. Gurl, she just read you!

Tea - Gossip Gurl, what's the tea? or Spill some tea!

Shade - To ignore someone.

That bartender is giving me shade.

Come for me - To outdo you

Bitch, if you're gonna come for me, you
better be wearing Prada and not Payless!

Ova - The BEST fashions

Gurl those shoes are ova!

Bag Lady - An ugly drag queen
Did you see the bad makeup on that bag lady?

Fish & Chips - The wife and kids of a gay man. He's on the down low. He's got fish and chips back home.





A TASTE OF DIVINITY...THE BITTER PILL OF RACISM AND POVERTY...

THE 2013 KEY WEST PRIDE FILM FESTIVAL IS A REAL EYE-OPENER!

Talk about opposite ends of the LGBTQ spectrum.

A larger-than-life drag queen...

Nonexistent healthcare, new HIV-infections daily and homophobia in the "red" states...

TheKey West PRIDE Film Festival, again offered by the Education department of AIDS Help, achieves a programming milestone this year by offering two separate documentaries with no previoustheatrical exposure in South Florida.

Both are being offered admission-free at Tropic Cinema Wednesday, June 5th and Thursday, June 6th.

"2013 represents a great divide between our two offerings, and I couldn't be more pleased, "said Derrick Traylor, Director of Education. "Night #1 is all about a cult favorite and will satisfy the campiest of attendee. The second evening is especially exciting because the director is coming to Key West to premiere her heartfelt chronicleon HIV/AIDS."

That first night will offer the brand-new 'I Am Divine,' produced and directed by Jeffrey Schwarz. About film director John Water's' cinematic muse and how overweight Baltimore teen Harris Glenn Milstead became the star of 'Pink Flamingoes' andan international drag icon, the 85-minute documentaryis just now beginning a worldwide film festival circuit.

"We are so fortunate to have snagged 'I Am Divine'," stated Traylor. "It's the biographical portrait of a legend with a fair share of Key West connections, including appearances at the late, lamented Copa. Divine had as big a hunger for the spotlight as he did food yet it's also, very movingly, about a man ostracized and estranged from his family and the circumstances that brought about their beautiful reunion."



Sanctioned by Waters and featuring rare interviews with Divine's late mother Frances(who died shortly after the interview sessions), 'I Am Divine' stands as the ultimate "It Gets Better" tribute to a bullied, chubby kid who got the last laugh on his tormentors.

That night's audience is invited to remain for a Q/A SKYPE videoconference with filmmaker Schwarz.

The next night, Thursday, June 6thth, the newdocumentary'deepsouth'will screen at 6 p.m., personally escorted for its Key West debut by director Lisa Biagiotti.

From slavery to segregation to HIV, the Southern United States has been accused of trading one societal ill for another. 'deepsouth'sheds new light on why the American South has not overcome its struggle to deal with HIV/AIDS, where the prevalence in some areas is comparable to that of sub-Saharan Africa. Many factors affect HIV/AIDS, but poverty, racism and homophobia are particular "corridors of shame" that the documentary focuses on, Biagiotti explains.

The filmmaker drove 13,000 miles across the Bible Belt and interviewed more than 400 people to discover "I had to unlearn a lot about what I previously thought about HIV/AIDS and the South," she commented. "It is a perfect storm of people doing their heroic best with limited resources."



"It's such a coup to have Lisa introduced, present and anchor the evening with such intimate interaction," said Traylor. "The 100-minute filmis visually breathtaking and, as a Southerner myself, it's a fascinating chronicle of desperation and inspiration."

Now in its 6th year, the Key West Pridefest Film Festival at Tropic Cinema, 416 Eaton Street, has been sponsored and programmed by the Education department at AIDS Help (with assistance from a SAMHSA grant) since its inception. The goal: to provide free public access to cinematic works, some little-seen, that promote healthy living.

Previous Festivalfilms includedWe Were Here, The Cockettes, The Adonis Factor, Making The Boys, And The Band Played On, The Boys In The Band, Two Spirits, Key West: City of Colors, The Gift, The Ride: Seven Days To End AIDS and Gay Sex In The 70's.

AIDS Help, a non-profit, community-based organization, provides case managed healthcare, affordable housing and housing assistance, food counseling, referral and support services and education, HIV testing and counseling outreach for residents of Monroe County living with HIV/AIDS.



key west · pride film festival







Q & A via SKYPE with Creator, Jeffrey Schwarz



Meet the Filmmaker, Lisa Biagiotti

Wednesday, June 5th at 6 PM, 'I am Divine' Thursday, June 6th at 6 PM, 'deepsouth'



The Tropic Cinema 416 Eaton Street, Key West Paris Free Admission





2018

Miss Firecracker

Pageamt ...

Monday July 1st Agua Mightelub

a b<mark>enefit for AIDS Help</mark>



8PM Hosted by:

Mark Watson & Just Whitney



Tables for 4 available for \$125

booths for 6 \$200

\$20 at the door & \$30 Bar seating

Silent Auction and 50/50

Interested in being a contestant contact AIDS Help at

305-293-3666



The InQuisitor

Spilling the hottest tea in Key West

Until our phone gets turned off for non payment, we'll be here to listen to the latest dish. We'd never use real names but I'll bet if you ask around, you'll find out who's doing who! If you have some hot gossip, email us at tea@qkeywest.com. We'll keep your name a secret because we know how to keep secrets!


We hear that there are quite a few people visiting the bookstore that don't want their names mentioned. It's a good thing we can't tweet from this 1970's rotary dial phone!

A local men's room was the scene for a homemade porn on X-Tube. I would never give out the link but you may want to try to search for Key West and see what pops up!

As more and more guesthouses are going all welcome, we hear one may actually be going all male! I guess someone finally figured out this is a lucrative market!

If we published all the stories we hear about guys stepping out on their man, this column would be 30 pages long! We don't condone spying but check your man's text messages!

Someone that had a little too much to drink walked right into a local entertainers house late one night, walked around the entire house, and then realized he wasn't in the right house and left. No one in the house woke up.



Meet the brains, beauty and talent behind every Ocean Wellness Spa experience!



Ocean



Our seasoned, licensed professionals deliver the finest spa services on the island!

Hair • Nails • Massage • Facials • Acupuncture • Skin Care • Nutrition 305-320-0500 or www.oceanspakeywest.com 829 Simonton Street, Key West, Ample parking available

YOUR STATUS IS A SWAB AWAY.



OraQuick®HIV Testing

20 minute rapid test
It's fast...It's free...results in 20 minutes
No Needles, No Blood, Painfree...Oral Swab







Monday 12-5pm Tuesday 11-2pm Tuesday 5-6pm Wednesday 5-7pm Thursday 6:30-8pm Mon - Fri 9am - 5pm Trinity Presbyterian Church 717 Simonton St.
Metropolitan Community Church 1215 Petronia St.
Gordon Rollins Center - 1434 Kennedy Drive
MLK Pool 300 Catherine St.(2nd and 4th Wed.)
Elks Lodge 1107 Whitehead St.(2nd and 4th Thurs,)
Gordon Rollins Center - 1434 Kennedy Drive

To schedule an appointment at any location, call 305-296-6196 or 305-293-3669





We're just a phone call away.

Anytime... about anything, from a simple question to emergency help.

(305) 296-HELP or 211

Part of the National Suicide Prevention Lifeline 800-273-TALK (8255) Operating 24/7 for calls In Spanish & for Veteran's Crisis Line



Aquarius Jan 20 – Feb 18

So you haven't won the powerball. I'm sorry. Perhaps you shouldn't have quit your job until after you won!

Pisces Feb 19 – Mar 20

It's time to do something about your hair. The last person to use Mousse was George Michael when he was still in Wham!

Aries Mar 21 – Apr 19

Why is it every time your relationship falls apart, you always blame him? You've had 8 relationships in a year! It's time to look in the mirror.

Taurus Apr 20 – May 20

Wondering why you have trouble meeting men? It's called a toothbrush! Use it!

Gemini May 21 – Jun 20

Congratulations. They say practice makes perfect and you are a perfect asshole!

Cancer Jun 21 – Jul 22

It's time to get some things lifted, and some things lowered. I'll let you decide which things need what!

Leo Jul 23 – Aug 22

Stop telling people you're moving away for a better opportunity. We all know you got evicted and we know you're moving in with your mother!

Virgo Aug 23 – Sep 22

I don't know why you check your email 32 times a day. The only messages you get are for penis enlargement (and you really should respond to that!)

Libra Sep 23 – Oct 22

Look around your house. It's time to buy some new furniture. Your only seat is the bean bag chair you had in your dorm and you sleep on an air mattress!

Scorpio Oct 23 – Nov 21

Maybe berating that cop that pulled you over was a bad idea. Maybe telling your boss off was a bad idea. Maybe farting during dinner was a bad idea. Maybe you're an idiot. No, you are an idiot!

Sagittarius Nov 22 – Dec 21

Seriously, back hair is not a sign of masculinity. It's a sign of laziness. Shave that mess!

Capricorn Dec 22 – Jan 19

If you ever went missing, people would offer a reward to the abductors to not return you!



Cheapest Gay
Drinks in
Town!

900 Simonton Street 303-294-2633

Kanaoke

Mon, Thun, Fri, & Sun Stanting at 9:30 PM

> FREE Wiji Video Games

Key West's Favorite Local Gay Hang Out



ISLAND HOUSE

BEST GAY RESORT IN THE WORLD

RESTAURANT

BAR

P₀0L

GYM

SAUNA

STEAMROOM

MASSAGE

TWO JACUZZIS

SUNDECK

EROTIC VIDEO LOUNGE

LOCKERS

TOWELS

24 HOURS

MEN ONLY

ID REQUIRED



1129 Fleming • 305 294 6284 • islandhousekeywest.com

All of the facilities of Island House are open and available 24 hours every day. Men are welcome at the restaurant and bar any time. Daily resort passes are available for locals and men staying elsewhere. Inquire at the front desk.